

Message

From: Pratt, Stacie [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=8A420FD319214477BF3852662829E7DD-SPETER04]
Sent: 11/22/2021 1:14:04 PM
To: Gold, Peter [Gold.Peter@epa.gov]; Galarza-Hernandez, Arlin [Galarza-Hernandez.Arlin@epa.gov]
CC: Rogers, Rick [rogers.rick@epa.gov]
Subject: RE: ACTION BY 11AM TUES, 11/23; Input for state secty talking points - PADEP and WVDEP

Yep – I'm just behind in e-mails. Sorry for any confusion 😊

From: Gold, Peter <Gold.Peter@epa.gov>
Sent: Monday, November 22, 2021 8:05 AM
To: Pratt, Stacie <Pratt.Stacie@epa.gov>; Galarza-Hernandez, Arlin <Galarza-Hernandez.Arlin@epa.gov>
Cc: Rogers, Rick <rogers.rick@epa.gov>
Subject: RE: ACTION BY 11AM TUES, 11/23; Input for state secty talking points - PADEP and WVDEP

Stacie,

Are you inquiring about Nonresponsive based on revised scope Arlin forwarded me talking points on Nonresponsive based on revised scope last night and we combined it to the talking points that Mike G developed. I forwarded the se to Rick earlier this morning, please see the bulleted points below. Thanks

From: Gold, Peter <Gold.Peter@epa.gov>
Sent: Monday, November 22, 2021 7:10 AM
To: Rogers, Rick <rogers.rick@epa.gov>
Cc: Pratt, Stacie <Pratt.Stacie@epa.gov>
Subject: RE: ACTION BY 11AM TUES, 11/23; Input for state secty talking points - PADEP and WVDEP

Rick,

Please see the attached bulleted points on Nonresponsive based on revised scope. It includes the talking points of Arlin's group and Mike developed NPDES talking points. Last month we had talking points on ICIS and SNC for PA and WV do we need those again? Thanks

Nonresponsive based on revised scope

Nonresponsive based on revised scope

From: Rogers, Rick <rogers.rick@epa.gov>

Sent: Friday, November 19, 2021 10:45 AM

To: Gold, Peter <Gold.Peter@epa.gov>

Subject: FW: ACTION BY 11AM TUES, 11/23; Input for state secty talking points - PADEP and WVDEP

Importance: High

Pete, this is a regular request from our Division's communications coordinator for RA talking points for his calls with state secretaries. This one is for WV and PA.

It's probably too soon to add something on Nonresponsive based on revised scope and the permitting issue there. If there is anything else that would be worthy of RA-Secretary level discussion, we need to get input to Beth by Tuesday, 11/23.

Stacie proposed to add Nonresponsive based on revised scope and the multi-program case we are working on. Can you think of anything else?

Thanks.

Rick Rogers, Chief
Water Branch (3ED30)
Enforcement and Compliance Assurance Division
U.S. EPA Region III
1650 Arch Street
Philadelphia, PA 19103
rogers.rick@epa.gov
Office: 215.814.5711
Cell: 215.341.4762

From: Pratt, Stacie <Pratt.Stacie@epa.gov>

Sent: Monday, November 22, 2021 7:58 AM

To: Galarza-Hernandez, Arlin <Galarza-Hernandez.Arlin@epa.gov>
Cc: Rogers, Rick <rogers.rick@epa.gov>; Gold, Peter <Gold.Peter@epa.gov>
Subject: FW: ACTION BY 11AM TUES, 11/23; Input for state secty talking points - PADEP and WVDEP

Arlin – Can you have your folks pull something together with the NPDES folks? Can you please just cc me on whatever you push forward?

Thanks.

From: Melvin, Karen <Melvin.Karen@epa.gov>
Sent: Friday, November 19, 2021 8:33 AM
To: Pratt, Stacie <Pratt.Stacie@epa.gov>
Cc: Galarza-Hernandez, Arlin <Galarza-Hernandez.Arlin@epa.gov>; Rogers, Rick <rogers.rick@epa.gov>; Gold, Peter <Gold.Peter@epa.gov>
Subject: RE: ACTION BY 11AM TUES, 11/23; Input for state secty talking points - PADEP and WVDEP

I think it's an excellent suggestion. Can you get a few bullets to Beth/Mark F.?

KAREN MELVIN, DIRECTOR
ENFORCEMENT AND COMPLIANCE ASSURANCE DIVISION
US EPA, REGION 3
1650 ARCH STREET
PHILADELPHIA, PA 19103
215-814-3275

From: Pratt, Stacie
Sent: Thursday, November 18, 2021 7:27 PM
To: Melvin, Karen <Melvin.Karen@epa.gov>
Cc: Galarza-Hernandez, Arlin <Galarza-Hernandez.Arlin@epa.gov>; Rogers, Rick <rogers.rick@epa.gov>; Gold, Peter <Gold.Peter@epa.gov>
Subject: RE: ACTION BY 11AM TUES, 11/23; Input for state secty talking points - PADEP and WVDEP

Karen – What do you think about adding Nonresponsive based on revised scope base to this list for WVDEP secretary?

Thanks...

Stacie

From: Garcia, Beth <garcia.beth@epa.gov>
Sent: Thursday, November 18, 2021 7:18 PM
To: R3 ECAD_MGRs <R3_ECAD_MGRs@epa.gov>
Cc: Maldonado, Zelma <Maldonado.Zelma@epa.gov>
Subject: ACTION BY 11AM TUES, 11/23; Input for state secty talking points - PADEP and WVDEP
Importance: High

Hello ECAD Managers:

Thank you so much for your feedback on the State Secretary talking points for VADEQ and MDE. By **next Tues, Nov. 23, 11am**, please submit your proposal for any critical hot and/or emerging issues that you feel the RA should raise during his monthly meeting with **PADEP and WVDEP**.

You have the option of either emailing me PRIOR to the managers meeting (preferred), or raising the topic during the meeting to confirm it should be included this month.

Please respond to this email with “no input” if no hot issues for your group.

For context, we submitted the following topics last month:

**NOVEMBER 2021
STATE SECRETARIES**

WVDEP

Nonresponsive based on revised scope

PADEP

Nonresponsive based on revised scope

Nonresponsive based on revised scope

already been reduced substantially.

EPA and Capital Region Water Consent Decree Negotiations

- Update:
- EPA and PADEP (Litigation Team) have meetings on October 28 and November 1 to discuss the suite of deliverables.
- The Litigation Team hopes to schedule the next settlement meeting before Thanksgiving.
- Background:
- On September 14, 2021, EPA and PADEP met with Capital Region Water (CRW) the wastewater authority in Harrisburg, PA to focus on the Consent Decree (CD) projects proposed in Appendix B.
- On October 5 and 8, 2021, CRW provided the underlying documents in support of Appendix B, a combination of collection system remedial and CSO reduction projects.
- Appendix B projects will increase the CSO capture rate from 52% to 83% by 2032. These projects will include, among other things, sewer separation from I-83, a joint CRW/PennDOT project which will convey stormwater from I-83 to the Paxton Creek, part of a \$100 million project cost investment by PennDOT which will help CRW meet the Paxton Creek TMDL.
- Once EPA and PADEP complete their review of all project documentation, they will determine if additional information is needed from CRW.
- Additional projects proposed include five phases of Green Infrastructure financed by a \$13 million loan from PennVest which should yield a 10-15% reduction of CSO overflows through GI by 2032; a schedule for CCTV work of the remaining 50% of the collection system; upgrades to the Harrisburg Advanced Wastewater Treatment Plant; repairs of CSO regulators and outfall pipes; and repairs to the Spring Creek interceptor.

Nonresponsive based on revised scope